



Dust Collection









Solutions for Life

Notitie





MAC® PULSE VALVES



MAC Design Advantage

- High Flow / Long Life / Low Leak / Balanced Spool Design
- Drop-in Mounting Without Disturbing Existing Piping
- Fast/Repeatable Response Times for Quick and Accurate Purges
- Optimized for Reliable Performance in Harsh Environmental Conditions
- Bonded Spool Technology Self Cleaning Bore


Industry Specific Features

- Wide Range of Seals (Nitrile, Viton®and Proprietary Compounds)
- Environmentally Sealed for Wash Down Environments
- Remote Bleed and Integral Solenoid Pilot Available (AC & DC Voltage)




MAC PULSE VALVE

MAC Design



D-Seal Technology **Isolates Solenoid** - Longer Life -


Dynamic Bonded Rubber Spool - Balanced -- Wiping Action -



Lifting Solenoid - Consistent Response -

Adapter Plate - Drop-in Replacement to Existing Manifold-

Competition Design VS.



Contaminated Air Passes Through Unbalanced Solenoid - Sticking & Burnout -

Small Fixed Orifice Blocked By Contaminants -

> Diaphragm Ruptures - Air Leaks -

MAC Spool Design



- + 10 Million Cycles ≠ Longer Life
- Wiping Action = Self Cleaning
- Balanced Design = Repeatable Purges
- No Ruptured Diaphragms = Less Wasted Air
- Viton Rubber = Harsh Environments

Diaphragm Design



- 1 Million Cycles = Short Life
- Cracking and Leaking = Wasted Air
- Constant Maintenance Required = High Cost of Ownership

MAC Technology Improved Filter Cleaning per Pulse

- ✓ Pulse time frequency optimization Enhanced bag life
- ✓ Drop-in mounting: Adapter plates available without disturbing existing piping
- ✓ Balanced spool & pilot design: Unaffected by pressure variations
- √ Very fast & repeatable response times
- ✓ Long life: Spool technology
- ✓ Energy savings Less consumption of air




MAC Valves - Highly engineered solutions for the highest performing applications since 1948









VS














Collection systems

Diaphragm valve

Skinner pilot type


- Low response time when energize
- Low response time when de-energize
- Pneumatic part & electrical part connected
- Coil affected by contamination
- Pilot performances affected by external environment




MAC Pulse Valve

MAC pilot

- Short response time when energizing
- Short response time when de-energizing
- Short stroke
- Strong return spring
- Balanced design not affected by pressure variation
- Not affected by contamination
- D seals
- Low friction
- 4/2 pilot















Diaphragm valve



Diaphragm technology

- 1 000 000 cycles life time
- Affected by T°C differences
- Damaged by the return spring
- Gets cracked & torn with the time
- Continuous leakages in case of holed diaphragm



MAC Pulse Valve

Spool technology

- **10 000 000** cycles life time
- Vulcanised bonded rubber
- Not affected by T°C differences
- Wiping Action
- Self cleaning process
- **Balanced** design / repeatable purges
- No leakage in case of failure
















The graph shows the *MAC valve* opens and closes *quicker* than the comparable *membrane* valve – this has two effects – the *air pulse* created by the MAC valve is more *powerful* and *effective* in cleaning the dust bags, and also the MAC valve uses less energy in creating the pulse.



Competitor diaphragm pulse graph produced from independent OEM study

Benefits

Improved Pulse Efficiency

High Impact Force

- Better Cleaning
- Less Pulsing
- Improved Bag and Filter Life
- Air savings

Whip Action

- Better Cleaning
- Short Pulse Duration
- Air Savings

Reliability

- 4 Way Balanced Pilot
- Bonded Spool
- No Diaphragm

Enhance your pulse[™]





www.macvalves.



















Competition valves that are /have been functionning properly.



Before shooting. Not functionning during a month.



After two pulses on each bag (PV03)












MAC® Pulse Valve Technology

Enhance Your Pulse ™



- 4-Way Pilot (Maximized Shifting Forces)
- D-Seal Technology Isolates Solenoid (Longer Life)
- Lifting Solenoid (Consistent Response)
- 4 Dynamic Bonded Rubber Spool (Balanced, Wiping Action.)
- Adapter Plate (Drop-in Replacement to Existing Base)
- 6 Manual Override

www.macvalves.com



Energy Savings

Powerful pulse action extends time needed between pulses, lowering energy costs.

Access

Access to valves in the dust collection system is difficult. The MAC spool valve's long life reduces lost labor and safety concerns attributed with repairs.

Downtime

When dust collection systems fail, plant operations come to a halt. MAC spool valves reduce downtime.

Product

Weak pulses cause excess waste to build up in the system and can cause a reduction in waste removal resulting in product contamination or a reduction in product yield.

Maintenance Costs Diaphragm valves cause daily maintenance issues and increased labor costs. Spool valves allow for better use of labor throughout the plant.

Filter Bag Life

More efficient and effective pulses lead to cleaner filters/bags increasing overall filter life by reducing pulse frequency, lowering costs.

Ease of Use

Only the MAC solenoid pilot offers a manual override to test the pulse valve









Wij verheugen ons op uw aanvraag.

LDA NV

Hoge Buizen 53 1980 Eppegem België

Tel. +32 (0)2-266 13 13 Mail: LDA@LDA.be

www.LDA.be